




SUZHOU · CHINA



LED NEON TUBE



RoHS



APPLICATION

- » Advertisement logo
- » Artificial decoration


FEATURES

- » Every 3 leds cuttable
- » Customization according to requirement
- » High quality PCB, good heat dissipation
- » Easy installation

SPECIFICATIONS

Item No	RNS-2835-120-12W4	RNS-2835-120-12W6	RNS-2835-120-12W8
Dimension	4*11mm	6*12mm	8*16mm
LEDs/m	120pcs/m	120pcs/m	120pcs/m
Voltage	DC12V/24V	DC12/24V	DC12/24V
Wattage/m	≤10W	≤10W	≤10W
Lumen output/m	950-1209lm	950-1209lm	950-1209lm
View angle	180°	180°	180°
IP rate	IP65	IP65	IP65
Operating Temperature	-25~+60°C	-25~+60°C	-25~+60°C
Package	5m or 50m/roll	5m or 50m/roll	5m or 50m /roll


LIGHT DISTRIBUTION CHARACTERISTICS




Height	AVR	E	CENTER	E	Diameter
1.50m	11.02lx		29.11lx		361.55cm
2.00m	6.20lx		16.38lx		482.07cm
4.00m	1.55lx		4.09lx		964.14cm
4.50m	1.22lx		3.23lx		1084.66cm
6.00m	0.69lx		1.82lx		1446.21cm

Accessories FIG


End cap 6mm





End cap 8mm




RNS-2835-120-12W4 Clip



RNS-2835-120-12W6 Clip



RNS-2835-120-12W8 Clip



Waterproof 60W





Waterproof 100W



Waterproof 20W



DIMENSION




Every 3 lights can be cut




Cutting line

COLOR AVAILABLE



INSTALLATION DIAGRAM



PACKING METHOD



SUZHOU REPSN PHOTOELECTRIC TECHNOLOGY CO.,LTD.

Add: NO.999 Xingdong Rd Wangshan industrial park Wuzhong district.Suzhou city.China

Tel: +86-0512-66536260 Mp: +86 13962178368

Http: //www.repsn.com Mail: led@repsn.com