


**REPSN**<sup>®</sup>

suzhou . china



# LED TAPE LIGHT

## SMD5050



RoHS



## APPLICATION

Landscapers, water features, decks, patios walk ways, building trim, sculptures, boats, automobiles, yachts, or any other situations that requires a waterproof or sun proof LED strip light


## FEATURES

- » PU glue or silicon extrusion
- » Every 3 leds cuttable
- » Customization according requirement
- » High quality PCB, good heat dissipation
- » performance
- » Easy installation

## SPECIFICATIONS

Item No	RFS-5050-60-12-xx	RFS-5050-30-12-xx
LEDs/m	60pcs/m	30pcs/m
Voltage	DC12V	DC12V
Wattage/m	≤ 14.4W	≤ 7.2W
Lumen output/m	950-1209lm	576-720lm
View angle	120°	120°
IP rate	IP65	IP65
Operating Temperature	-25~+60°C	-25~+60°C
N.W. (g)	customization	customization


## LIGHT DISTRIBUTION CHARACTERISTICS



Height	AVR	E	CENTER	E	Diameter
1.50m	11.02lx		29.11lx		361.55cm
2.00m	6.20lx		16.38lx		482.07cm
4.00m	1.55lx		4.09lx		964.14cm
4.50m	1.22lx		3.23lx		1084.66cm
6.00m	0.69lx		1.82lx		1446.21cm

## Accessories FIG


### TERMINAL CAP



### SMPS




### 2.4GHz REMOTE CONTROLLER




### 3M DOUBLE FACE GLUE TAPE



## DIMENSION




**COLOR AVAILABLE**



**IP GRADE**



**INSTALLATION DIAGRAM**



**PACKING METHOD**



**SUZHOU REPSN PHOTOELECTRIC TECHNOLOGY CO.,LTD.**  
 Add: NO.999 Xingdong Rd Wangshan industrial park Wuzhong district.Suzhou city.China  
 Tel: +86-0512-66536260  
 Http: //www.repsn.com Mail: led@repsn.com